

A Photonic-Crystal Selective Filter

Lara Pajewski¹ and Giuseppe Schettini²

¹ Department of Information Engineering, Electronics and Telecommunications, Sapienza University of Rome, Rome, Italy

² Roma Tre University, Rome, Italy

<https://doi.org/10.26636/jtit.2017.119817>

Abstract—A highly selective filter is designed, working at 1.55 μm and having a 3-dB bandwidth narrower than 0.4 nm, as is required in Dense Wavelength Division Multiplexed systems. Different solutions are proposed, involving photonic crystals made rectangular- or circular-section dielectric rods, or else of holes drilled in a dielectric bulk. The polarization and frequency selective properties are achieved by introducing a defect in the periodic structure. The device is studied by using in-house codes implementing the full-wave Fourier Modal Method. Practical guidelines about advantages and limits of the investigated solutions are given.

Keywords—filter, Fourier Modal Method, periodic structures, photonic bandgap materials, photonic crystals.

1. Introduction

Photonic crystals are artificial media, constituted by periodic implants of a material with a specific dielectric permittivity embedded in a homogeneous background of different permittivity [1], [2]. The main feature of a photonic crystal is the presence of frequency bands within which the waves are highly attenuated and do not propagate (bandgaps or stopbands). This property is exploited in a lot of applications, in the microwave region, as well as in the infrared and optical range; new ideas are under continuous research and novel components are designed [3]–[17].

The study of photonic crystals with defects is a topic of great interest. Defects may obviously be present in a structure due to fabrication errors [18], [19]. Very often, though, defects are on purpose introduced in photonic crystals to design resonant cavities, filters or switches [20]–[24]. In fact, the occurrence of a sharp transmission peak inside a bandgap may result from defect creation. By suitably choosing the configuration of the structure, it is possible to shape its transmission properties in a versatile way [25], [26].

In this work, we focus on the design of a photonic-crystal filter for fiber optic applications. The design specifications are that radiation at 1.55 μm has to be transmitted, with a 3-dB selectivity smaller than 0.4 nm, as is required in Dense Wavelength Division Multiplexed (DWDM) systems. The required filtering properties are obtained by using a dielectric photonic crystal and by properly interrupting its periodicity. In particular, some implants are removed in

the middle of the synthesized structure, so that a homogeneous layer of anomalous thickness is present between two adjacent layers of rods.

The proposed device is studied by using in-house codes implementing the Fourier Modal Method (FMM) [27], as briefly resumed in Section 2. The FMM is a fast, accurate and versatile spectral-domain technique for the solution of plane-wave scattering problems by dielectric diffractive optical elements and photonic crystals.

Numerical results for the synthesized filter are presented in Section 3. Different solutions are proposed and compared, with photonic crystals made of rectangular- or circular-section dielectric rods, or else of holes drilled in a dielectric bulk. The transmission properties of the proposed components are investigated as a function of the polarization and the wavelength of the incident radiation.

Practical comments about advantages and limits of the different investigated solutions are given in Section 4, where conclusions are drawn.

2. FMM Modeling of Photonic Crystals

The structures proposed in this paper are designed and characterized by using an in-house code implementing the Fourier Modal Method (FMM), a full-wave spectral-domain technique that solves the monochromatic plane-wave diffraction problem by dielectric photonic crystals. The formulation of the method proposed in [27] is adopted. This approach was originally developed for the characterization of two-dimensional diffraction gratings [28]–[30]. Subsequently, it was demonstrated that the FMM can be successfully employed for the accurate modeling of two-dimensional photonic crystals [27], [31], [32]. More recently, the method has been extended and applied to the characterization of three-dimensional photonic crystals and crossed gratings [7], [8], [33].

The photonic crystal is considered as a finite stack of periodic grids of implants in a hosting medium (e.g., dielectric rods arranged in the air, or air holes drilled in a dielectric bulk). Adjacent grids may be separated by homogeneous layers. The general approach for exactly solving the electromagnetic problem associated to this kind of structure involves the solution of Maxwell's equations inside each periodic layer of the crystal, in the homogeneous regions

between different periodic layers and outside the crystal. Boundary conditions have to be imposed between different regions.

A fundamental step in the FMM is the expansion in a Fourier series of the dielectric permittivity of each layer constituting the photonic crystal. Plane-wave expansions of the electromagnetic field are used (Rayleigh expansions outside the crystal, modal expansions in the crystal layers). This approach leads to a set of eigenvalue problems, which have to be solved. Then, the tangential electric and magnetic field components are matched at all the boundary surfaces. The resulting linear equation system is solved for the reflected and transmitted field amplitudes, so that the reflection and transmission efficiencies of the photonic crystal can be determined.

The total transmission efficiency of a photonic crystal is defined as the sum of the efficiencies of all the transmitted diffracted orders. The efficiency of the n -th transmitted order is equal to the Poynting-vector component, along the transmission direction, of the n -th order transmitted wave, divided by the Poynting-vector component, along the same direction, of the incident wave.

The FMM treatment of photonic crystals is accurate and versatile, it allows studying structures with arbitrary-shape implants forming whatever kind of lattice. The effects of interruptions in the photonic-crystal periodicity can be investigated by this method [25], [26].

3. Numerical Results

3.1. Rectangular-Section Rods

The first solution that we propose uses a two-dimensional photonic crystal with rectangular-section silicon rods arranged in a rectangular lattice. The host material is the air. The geometry of the filter is sketched in Fig. 1. The refractive index of rods is assumed to be $n_d = 3.4$ in the considered frequency range, the lattice periods along the two orthogonal periodicity directions are d_1 and d_2 , and the size of the cross-section of the rods is $b_1d_1 \times b_2d_2$. The required frequency-selective behavior of the structure




Fig. 1. Geometry of the photonic-crystal filter made of square-section rods.

is obtained by suitably interrupting its periodicity. In particular, the introduced defect consists of some rods missing in the middle of the structure: an air gap with length L is present between the two central layers of rods. ND is the number of rod layers located on each side of the defect. The structure can also be viewed as a Fabry-Perot resonator, with two mirrors consisting of identical photonic crystals separated by an air region.

Calculation results for this filtering structure are presented in Fig. 2, for different values of ND . It is chosen to design a square-lattice ($d_1 = d_2 = d$) square-section rod ($b_1 = b_2 = b$) structure, because it is easier and cheaper to fabricate with respect to a rectangular-lattice rectangular-section solution. The electromagnetic behavior of the synthesized filter is illustrated by plotting its total transmission efficiency as a function of the free-space wavelength λ normalized to d . Curves for both the fundamental TE (full line) and TM (dashed line) polarization states are reported. In TE polarization, the electric field propagating through the filter is parallel to the photonic-crystal rods. In TM polarization, instead, the electric field is orthogonal to the rods. With $b = 0.4$ and $L = 1.6d$, a TE transmission peak centered on $\frac{\lambda}{d} \cong 2.75$ is present while propagation is prohibited for TM polarization.




Fig. 2. FMM results for the photonic-crystal filter made of square-section rods.

It can be appreciated that the selectivity of the structure becomes higher as ND increases. In particular, if $ND = 2$ the transmission peak is centered on $\frac{\lambda}{d} = 2.758$: with a period $d = 0.562 \mu\text{m}$, transmission of radiation at $\lambda = 1.55 \mu\text{m}$ occurs and the 3-dB width of the transmission peak turns out to be 4.5 nm. If $ND = 3$ the peak is centered on $\frac{\lambda}{d} = 2.753$: with $d = 0.563 \mu\text{m}$, radiation at $\lambda = 1.55 \mu\text{m}$ is transmitted and the 3-dB width of the peak is 1.1 nm. Finally, if $ND = 4$ the peak is centered on $\frac{\lambda}{d} = 2.748$: with $d = 0.564 \mu\text{m}$, the transmission of radiation at $\lambda = 1.55 \mu\text{m}$

is obtained and the 3-dB width of the peak is 0.28 nm (less than 0.4 nm, that is the design specification).

3.2. Rectangular-Section Holes

The second structure that we consider is a two-dimensional photonic crystal with rectangular-section holes arranged in a rectangular lattice and drilled in a dielectric bulk, as sketched in Fig. 3. The geometrical parameters are denoted as for the first structure, the refractive index of the dielectric material is again $n_d = 3.4$.




Fig. 3. Geometry of the photonic-crystal filter made of square-section holes drilled in a dielectric bulk.

Numerical results are given in Fig. 4 for different values of ND , being $d_1 = d_2 = d$, $b_1 = b_2 = 0.75$ and $L = 1.25d$; the full-line curves correspond to TE polarization and the dashed-line curves correspond to TM polarization.




Fig. 4. FMM results for the photonic-crystal filter made of square-section holes drilled in a dielectric bulk.

If $ND = 2$, a TE transmission peak in $\frac{\lambda}{d} = 2.892$ is obtained: with a period $d = 0.536 \mu\text{m}$ this peak is centered on $\lambda = 1.55 \mu\text{m}$ and its 3-dB width is 6.4 nm. If $ND = 3$, the TE transmission peak is in $\frac{\lambda}{d} = 2.881$. If a period $d = 0.538 \mu\text{m}$ is chosen, this peak is centered on $\lambda = 1.55 \mu\text{m}$

and its 3-dB width is 1.4 nm. Moreover, if $ND = 4$, the TE transmission peak is in $\frac{\lambda}{d} = 2.876$. With a period $d = 0.539 \mu\text{m}$ this peak is centered on $\lambda = 1.55 \mu\text{m}$ and its 3-dB width is 0.47 nm.




Fig. 5. FMM results for the photonic-crystal filter made of square-section holes drilled in a dielectric bulk: $ND = 5$.

This filter is easier to fabricate but slightly less selective than the solution with square-section rods proposed in the previous subsection, if the same number of inclusions ND is considered. It is necessary to drill $ND = 5$ rows of holes in the dielectric bulk, to satisfy the design specification. Relevant centered results are reported in Fig. 5. In this case, the transmission peak is centered on $\frac{\lambda}{d} = 2.870$. By choosing a period $d = 0.540 \mu\text{m}$, the transmission of radiation having wavelength $\lambda = 1.55 \mu\text{m}$ is achieved, and the 3-dB width of the transmission peak turns out to be 0.16 nm.

3.3. Circular-Section Rods

The third structure that we propose is shown in Fig. 6. It uses a two-dimensional photonic crystal with circular-section rods arranged in a rectangular lattice, with periods d_1 and d_2 . The radius of the rod section is called R and the refractive index of the dielectric material is again $n_d = 3.4$. The length of the periodicity interruption (the central air gap) is called L .




Fig. 6. Geometry of the photonic-crystal filter made of circular-section rods.

The results presented in Fig. 7 are obtained for a structure with $d_1 = d_2 = d$, $R = 0.226d$, $L = 1.55d$ and $ND = 5$. The total transmission efficiency of the filter is plotted




Fig. 7. FMM results for the photonic-crystal filter made of circular-section rods.

as a function of the normalized wavelength $\frac{\lambda}{d}$. The presence of a sharp TE transmission peak is observed, centered on $\frac{\lambda}{d} = 3.385$. By choosing a period $d = 0.458 \mu\text{m}$, the transmission of waves propagating at $\lambda = 1.55 \mu\text{m}$ is achieved; the 3-dB width of the transmission peak turns out to be 0.14 nm.

3.4. Circular-Section Holes

The fourth structure that we consider is sketched in Fig. 8. It consists of a two-dimensional photonic crystal with




Fig. 8. Geometry of the photonic-crystal filter made of circular-section holes drilled in a dielectric bulk.




Fig. 9. FMM results for the photonic-crystal filter made of circular-section holes drilled in a dielectric bulk.

circular-section holes arranged in a rectangular lattice and drilled in a dielectric bulk. The geometrical parameters are denoted as for the third structure and the refractive index of the dielectric material is $n_d = 3.4$.

In Fig. 9 results obtained with $d_1 = d_2 = d$, $R = 0.432d$, $L = 1.136d$ and $ND = 5$ are presented. Even in this case, a transmission peak for TE polarization is present. This peak is centered on $\frac{\lambda}{d} = 4.627$. With a period $d = 0.335 \mu\text{m}$, the transmission of $\lambda = 1.55 \mu\text{m}$ is guaranteed and the 3-dB width of the peak is 3 nm.

4. Conclusions

In this work, the design of a photonic-crystal filter is presented. The filter transmits radiation at $1.55 \mu\text{m}$, with a 3-dB selectivity smaller than 0.4 nm. Four different solutions are proposed and examined, involving photonic crystals made of square or circular cross-section dielectric rods, or holes drilled in a dielectric bulk. The required selective behavior is obtained by suitably introducing a defect in the adopted photonic crystal. The structures are simulated by using in-house codes implementing the rigorous Fourier Modal Method.

Solutions with holes are easier to fabricate, with respect to solutions involving rods, moreover they are less fragile; however, they are less selective than solutions involving rods, thus requiring a slightly higher number of periodic layers to satisfy the 0.4 nm specification. Thus, a filter made of holes turns out to be larger than a filter made of rods and stronger scattering losses occur during the propagation of the radiation through the filter. An advantage of the filter made of rods, is that its transmission peak can be easily tuned to $1.55 \mu\text{m}$ by adjusting the defect length L . To deal with imperfections and non-idealities in the fabricated photonic-crystal structure, which may be present and influence the optical properties of the filter.

The calculation results show that strong and narrow dips are present in the transmission-efficiency curves (e.g., in Fig. 2 at $\frac{\lambda}{d} \cong 2.4$ and in Fig. 4 at $\frac{\lambda}{d} \cong 3,27$). This suggests that the studied structures may be designed and sized to act as highly-reflective narrow-band filters, which also are of interest in fiber optics communication.

Acknowledgements

The authors thank Gabriella Cincotti for the interesting discussions. The first author is grateful to COST (European Cooperation in Science and Technology, www.cost.eu) for funding and supporting the Actions MP0702 “Towards Functional Sub-Wavelength Photonic Structures” (cost-mp0702.nit.eu) and TU1208 “Civil engineering applications of Ground Penetrating Radar” (www.GPRadar.eu). This work is a contribution to the TU1208 Special Issue “Recent Progress in Electromagnetic Theory and its Applications”.

References

- [1] J. D. Joannopoulos, S. G. Johnson, J. N. Winn, and R. D. Meade, *Photonic Crystals: Molding the Flow of Light*. Princeton: Princeton Univ. Press, 2008.
- [2] K. Yasumoto, Ed., *Electromagnetic Theory and Applications for Photonic Crystals*, New York: CRC Press, Taylor & Francis, 2005.
- [3] E. Ozbay, B. Temelkuran, and M. Bayindir, "Microwave applications of photonic crystals", *Progress in Electromag. Res.*, vol. 41, pp. 185–209, 2003.
- [4] H.-H. Xie, Y.-C. Jiao, K. Song, and Z. Zhang, "A novel multi-band electromagnetic band-gap structure", *Progress in Electromag. Res. Lett.*, vol. 9, pp. 67–74, 2009.
- [5] F. Yang and Y. Rahmat-Samii, *Electromagnetic Band Gap Structures in Antenna Engineering*. New York: Cambridge University Press, 2009.
- [6] H. Li and X. Yang, "Larger absolute band gaps in two-dimensional photonic crystals fabricated by a three-order-effect method", *Progress in Electromagn. Res.*, vol. 108, pp. 385–400, 2010.
- [7] F. Frezza, L. Pajewski, E. Piuzzi, C. Ponti, and G. Schettini, "Design and fabrication of a 3D-EBG superstrate for patch antennas", in *Proc. 39th Eur. Microwave Conf. EuMC 2009*, Rome, Italy, 2009, pp. 1496–1499.
- [8] F. Frezza, L. Pajewski, E. Piuzzi, C. Ponti, and G. Schettini, "Analysis and experimental characterization of an alumina woodpile-covered planar antenna", in *Proc. 40th Eur. Microwave Conf. EuMC 2010*, Paris, France, 2010, pp. 200–203.
- [9] V. Jandieri, K. Yasumoto, and Y.-K. Cho, "Rigorous analysis of electromagnetic scattering by cylindrical EBG structures", *Progress in Electromag. Res.*, vol. 121, pp. 317–342, 2011.
- [10] J.-Y. Chen, E. Li, and L.-W. Chen, "Optical absorption enhancement in solar cells via 3D photonic crystal structures", *Progress in Electromag. Res. M*, vol. 17, pp. 1–11, 2011.
- [11] F. Guller, M. E. Inchaussandague, and R. A. Depine, "Dispersion relation and band gaps of 3D photonic crystals made of spheres", *Progress in Electromag. Res. M*, vol. 19, pp. 1–12, 2011.
- [12] D. M. Nashaat Elsheakh, H. A. Elsadek, E. A.-F. Abdallah, H. M. El-Henawy, and M. F. Iskander, "Ultra-wide bandwidth microstrip monopole antenna by using electromagnetic band-gap structures", *Progress in Electromag. Res. Lett.*, vol. 23, pp. 109–118, 2011.
- [13] F. Frezza, L. Pajewski, E. Piuzzi, C. Ponti, and G. Schettini, "Advances in EBG-resonator antenna research", *Proc. Int. Symp. on Antennas and Propag. ISAP 2012*, Nagoya, Japan, 2012, pp. 1301–1304.
- [14] S. Ceccuzzi, L. Pajewski, C. Ponti, and G. Schettini, "Directive propagation in two EBG structures: a comparison", in *IEEE MTT-S Int. Microwave Symp. Digest IMS 2013*, Seattle, WA, USA, 2013, pp. 1–4 (doi: 0.1109/MWSYM.2013.6697579).
- [15] S. Ceccuzzi, L. Pajewski, C. Ponti, and G. Schettini, "Comparison between two methods for directivity enhancement of antennas through 2-D EBGs", in *Proc. 34th Progress in Electromag. Res. Symp. PIERS 2013*, Stockholm, Sweden, 2013, pp. 557–561.
- [16] F. Frezza, L. Pajewski, E. Piuzzi, C. Ponti, and G. Schettini, "Radiation-enhancement properties of an X-band woodpile EBG and its application to a planar antenna", *Int. J. on Antenn. and Propag.*, vol. 2014, article ID 729187, pp. 1–15, 2014 (doi: 10.1155/2014/729187).
- [17] S. Ceccuzzi, L. Pajewski, C. Ponti, and G. Schettini, "Directive EBG antennas: a comparison between two different radiating mechanisms", *IEEE Trans. on Antenn. and Propag.*, vol. 62, no. 10, pp. 5420–5424, 2014 (doi: 10.1109/TAP.2014.2346174).
- [18] A. O. Silva, R. Bertholdo, M. G. Schiavetto, B.-H. V. Borges, S. J. L. Ribeiro, Y. Messaddeq, and M. A. Romero, "Comparative analysis between experimental characterization results and numerical FDTD modeling of self-assembled photonic crystals", *Progress in Electromag. Res. B*, vol. 23, pp. 329–342, 2010.
- [19] V. A. Tolmachev, V. Baldycheva, K. Berwick, and T. S. Perova, "Influence of fluctuations of the geometrical parameters on the photonic band gaps in one-dimensional photonic crystals", *Progress in Electromag. Res.*, vol. 126, pp. 285–302, 2012.
- [20] H.-T. Hsu, M.-H. Lee, T.-J. Yang, Y.-C. Wang, and C.-J. Wu, "A multichanneled filter in a photonic crystal containing coupled defects", *Progress in Electromag. Res.*, vol. 117, pp. 379–392, 2011.
- [21] H. Butt, Q. Dai, T. D. Wilkinson, and G. A. J. Amaratunga, "Photonic crystals and metamaterial filters based on 2D arrays of silicon nanopillars", *Progress in Electromag. Res.*, vol. 113, pp. 179–194, 2011.
- [22] C.-J. Wu and Z.-H. Wang, "Properties of defect modes in one-dimensional photonic crystals", *Progress in Electromag. Res.*, vol. 103, pp. 169–184, 2010.
- [23] A. Gharaati and H. Azarshab, "Characterization of defect modes in one-dimensional ternary metallo-dielectric nanolayered photonic crystal", *Progress in Electromag. Res. B*, vol. 37, pp. 125–141, 2012.
- [24] K. R. Khan, S. Bidnyk, and T. J. Hall, "Tunable all optical switch implemented in a liquid crystal filled dual-core photonic crystal fiber", *Progress in Electromag. Res. M*, vol. 22, pp. 179–189, 2012.
- [25] F. Frezza, L. Pajewski, and G. Schettini, "Periodic defects in 2D-PBG materials: full-wave analysis and design", *IEEE Trans. on Nanotechnol.*, vol. 2, no. 3, pp. 126–134, 2003.
- [26] F. Frezza, L. Pajewski, and G. Schettini, "Numerical investigation on the filtering behavior of 2D-PBGs with multiple periodic defects", *IEEE Trans. on Nanotechnol.*, vol. 4, no. 6, pp. 730–739, 2005.
- [27] F. Frezza, L. Pajewski, and G. Schettini, "Characterization and design of two-dimensional electromagnetic band-gap structures by use of a full-wave method for diffraction gratings", *IEEE Trans. on Microw. Theory and Techniq.*, vol. 51, no. 3, pp. 941–951, 2003.
- [28] L. Pajewski, R. Borghi, G. Schettini, F. Frezza, and M. Santarsiero, "Design of a binary grating with subwavelength features that acts as a polarizing beam splitter", *Applied Optics*, vol. 40, no. 32, pp. 5898–5905, 2001.
- [29] R. Borghi, F. Frezza, L. Pajewski, M. Santarsiero, and G. Schettini, "Full-wave analysis of the optimum triplicator", *J. of Electromag. Waves and Appl.*, vol. 15, no. 6, pp. 689–708, 2001.
- [30] R. Borghi, F. Frezza, L. Pajewski, M. Santarsiero, and G. Schettini, "Optimum even-phase four-beam multiplier", *Optical Engin.*, vol. 41, no. 11, pp. 2736–2742, 2002.
- [31] F. Frezza, L. Pajewski, and G. Schettini, "Fast and accurate modeling of finite-thickness 2D-EBG structures made by circular-section rods", *Microw. and Optical Technol. Lett.*, vol. 39, no. 6, pp. 433–437, 2003.
- [32] F. Frezza, L. Pajewski, and G. Schettini, "Fractal two-dimensional electromagnetic band-gap structures", *IEEE Trans. on Microw. Theory and Techniq.*, vol. 52, no. 1, pp. 220–227, 2004.
- [33] F. Frezza, L. Pajewski, and G. Schettini, "Full-wave characterization of three-dimensional photonic bandgap structures", *IEEE Trans. on Nanotechnol.*, vol. 5, no. 5, pp. 545–553, 2006.
- [34] M. Veysi and M. Shafaei, "EBG frequency response tuning using an adjustable air-gap", *Progress in Electromag. Res. Lett.*, vol. 19, pp. 31–39, 2010.



Giuseppe Schettini received the Laurea (cum laude) degree in Electronic Engineering, the Ph.D. degree in Applied Electromagnetics, and the Laurea (cum laude) degree in Physics from the La Sapienza University of Rome, Rome, Italy, in 1986, 1991, and 1995, respectively. He joined the Italian Energy and Environment Agency,

where he was initially involved in free electron generators of millimeter waves and then in microwave components and antennas for the heating of thermonuclear plasmas. In 1992, he joined the La Sapienza University of Rome as a Researcher of Electromagnetics. In 1998, he joined the Applied Electronics Department, now Department of Engineering, of Roma Tre University, Rome, where he was an Associate Professor, from 1998 to 2005, and has been a Full Professor of Electromagnetic Fields and Antennas, since 2005. His current research interests include structures for guiding and radiation of electromagnetic fields

for microwave and millimeter waves applications, scattering, diffractive optics, plasma heating and current drive, artificial electromagnetic bandgap media, and anisotropic media.

E-mail: giuseppe.schettini@uniroma3.it
Roma Tre University
Via Vito Volterra 60-62
00146 Rome, Italy

Lara Pajewski – for biography, see this issue, p. 29.