

JANUS – A NEW APPROACH TO AIR COMBAT PILOT TRAINING

Georges Bridel

ALR Aerospace

Gotthardstrasse 52, 8002 Zürich

georges.bridel@alr-aerospace.ch

Jean-Georges Brévot

ALR Aerospace

Gotthardstrasse 52, 8002 Zürich

jg.brevot@alr-aerospace.ch

Zdobyslaw Goraj

Warsaw University of Technology,

Pl. Politechniki 1, 00-661 Warsaw

goraj@meil.pw.edu.pl

Jean-Pierre Devaux

VENTURA, Paris

22 avenue Duquesne 75007, Paris

jean-pierre.devaux@ventura-associate.com

Lukasz Kiskowskiak

Military University of Technology,

gen. Sylwestra Kaliskiego 2, 01-476 Warsaw

lukasz.kiskowskiak@wat.edu.pl

Cezary Szczepanski

Lukasiewicz Research Network – Institute of Aviation

al. Krakowska 110/114, 02-256 Warsaw, Poland

Cezary.Szczepanski@ilot.edu.pl

Abstract

Advanced jet training still relies on old concepts and solutions that are no longer efficient when considering the current and forthcoming changes in air combat. The cost of those old solutions to develop and maintain combat pilot skills are important, adding even more constraints to the training limitations. The requirement of having a trainer aircraft able to perform also light combat aircraft operational mission is adding unnecessary complexity and cost without any real operational advantages to air combat mission training.

Thanks to emerging technologies, the JANUS project will study the feasibility of a brand-new concept of agile manoeuvrable training aircraft and an integrated training system, able to provide a live, virtual and constructive environment. The JANUS concept is based on a lightweight, low-cost, high energy aircraft associated to a ground based Integrated Training System providing simulated and emulated signals, simulated and real opponents, combined with real-time feedback on pilot's physiological characteristics: traditionally embedded sensors are replaced with emulated signals, simulated opponents are proposed to the pilot, enabling out of sight engagement. JANUS is also providing new cost effective and more realistic solutions for "Red air aircraft" missions, organised in so-called "Aggressor Squadrons".

Keywords: air combat; advanced training; red air; training concept; innovation;

1. INTRODUCTION – TODAY'S AIR COMBAT TRAINING SYSTEMS

The European Advanced Training "landscape" is fragmented. Many of the European Combat Jet Training platform (CJTP) units are aging and need to be replaced. Many European countries are using

non-European services such as US ones to fulfil their training needs. The arrival of the next generation of combat aircraft is accelerating this process. In parallel, information technologies will enable new solutions that can enhance the depth, range and the organisation of training, as well as reduce costs.

Also in the context of the EDIDP-ACC-CJTP-2019 topic, EU based jet pilot training is defined as a key condition to ensure high-level combat-operational readiness within Member States, using the latest and cost-effective training systems.

For decades, advanced jet training has been constrained by a reliance on old concepts, both in terms of platforms and training systems: training concepts didn't follow the pace of air combat platforms and functions' development. Some progresses have been made since 2000s, but still do not reach the required level of efficiency: Integrated Training Systems (ITS) and simulated complex aircraft interfaces have been developed, but more progress is needed in virtual weapon systems' data transfer and integration in global training systems.

There are also strong needs for "Red-air" aircraft in high numbers. The Air Forces rely exclusively on legacy, outdated and expensive combat aircraft or trainers in so-called "Aggressor Squadrons".

Currently, none of the systems in use worldwide achieves the twin goals of operational readiness and cost effectiveness. There is therefore an urgent need to improve overall combat aircraft training system concepts relying on European expertise and capabilities.

1.1. Advanced jet training has reached a dead end

Recent operations have shown that it is necessary to qualify and maintain an important reserve of pilots to support protracted conflict. As workload and operational demands have become heavier and more complex, pilots have to maintain their operational skills flying powerful training aircraft with appropriate training systems. However, the cost of deploying front line combat aircraft is now so high that these will be prioritized for operations or high-level exercises. Additionally, combat aircraft are often heavily committed to operations and cannot be diverted to routine Advanced Training missions.

Equally, it is likely that a change in the air dominance paradigm will see the emergence of more capable adversaries challenging NATO air dominance. This implies a heavier operational preparation to reduce losses. Moreover, current trainers, although less costly to operate, are unable to download the training programs needed to maintain pilot efficiency, from air combat aircrafts to advanced trainers (downloading), especially the simulation of realistic combat scenarios reflecting flight domain, combat mission complexity and combat environment.

1.2. The air combat evolution raises the necessity to consider the increase of training complexity

The multi-targeting capabilities (air-to-air, air-to-surface) of modern combat aircraft raise the necessity of operating against larger numbers of opponents in the "Aggressor Squadrons". Equally, the use of simulators is insufficient to train experienced pilots under combat conditions. This is due to the use of mostly out-dated trainers lacking the dynamic performance or retired combat aircraft lacking up-to-date (real or emulated) weapons systems. Therefore, the efficiency/cost ratio is not optimal. Even the latest generation of trainer aircraft has insufficient performance to cover the whole training spectrum, because of light combat aircraft design requirements. Moreover, their ITS are proprietary systems, and are difficult to integrate into a Distributed Mission Operation Centre (DMOC).

1.3. Necessity to increase the efficiency of training and reduce costs

The need to reform advanced jet training also covers the "red air" missions (manned targets for exercise and training). Red air missions need dedicated, more realistic and less costly platforms. However, this makes sense only if the performance of these platforms is comparable to a front-line combat aircraft,

particularly in terms of high specific excess power and high levels of agility. Failure to address this issue would lead to unrealistic training scenarios and a negative training experience.

None of the advanced training platforms currently in service or in development fulfil these fundamental requirements combined with low acquisition and life cycle costs. The aim of the JANUS project is to reduce by 30 % the exploitation cost below the standard supersonic training aircraft. The JANUS aircraft, studied in this project, will benefit from the latest aerodynamic software, is lighter (due to using composite materials and minimizing on board avionic systems), and hence, the cost of fuel consumption is reduced.

1.4. The world of advanced trainers is caught between two unsatisfactory solutions

The trainer is either a conventional subsonic jet aircraft, less costly but not able to achieve the required levels of performance; or is developed as a small state-of-the-art supersonic combat aircraft with appropriate weapon system, but which is too costly to procure and operate. Most of these aircraft are designed to fulfil Light Combat Aircraft (LCA) missions, that may be of questionable value against a better-armed adversary. Light Combat Aircraft are now challenged by Unmanned Combat Aerial Vehicle (UCAV) which up to now are rarely used in operations. Added value is for training aircraft therefore very poor and leads to a cost increase and potential decrease in performance.

1.5. JANUS management and Partners

To perform the JANUS feasibility study, a consortium was founded consisting of European specialists of defence and aeronautics systems: SCALIAN (coordinator), Air Liquide (Al-aT), VENTURA and BOWEN in France, STRAERO/INCAS National Institute for Aerospace Research in Romania, VZLU Major Centre for Aeronautical Research in Czech Republic, ILOT Institute of Aviation, (MUT) Military University of Technology and (WUT) Warsaw University of Technology in Poland, ALR in Switzerland, LOGIC in Italy.

The study will start by setting up high level requirements and with participation of European air forces in a validation phase through a user seminar. Two work packages dedicated to the aircraft platform and the ITS will be based on these requirements. They will study the feasibility of the components, and will compare on the-shelf technologies and new developments as solutions for each part (engines for example). The JANUS consortium will provide a market study for the system, acquisition and operating costs study and a follow-up program description.

2. OBJECTIVE OF THE JANUS PROPOSAL

JANUS will study the feasibility of a low-cost operationally effective solution for air combat pilot training, combining a very agile air platform, fully dedicated to training, and a flexible, interoperable, integrated training system (ITS) using simulations to provide a complete LVC solution. The JANUS study will explore innovations applicable to the learning and maintaining of skills, develop a first pilot physiological survey and propose a follow-up program aimed at developing a fully European air combat training service by 2028 or beyond.

2.1. Janus Concept Description

JANUS aims to radically improve combat aircraft training with a dedicated platform designed specifically to meet advanced training and “aggressor squadron” requirements and with an advanced ITS system able to supplement the flight operations with a fully simulated combat environment delivered by a ground-based system and programmable pilot interfaces. The JANUS concept is based on:

- An innovative Air Vehicle concept design and related technological demands:
 - The JANUS air platform is fully dedicated to advanced training and “Red air missions”, without considering any Light Combat Aircraft (LCA) requirements.
 - The project aims at a radically low-cost basic platform design, with no payload, no on-board weapon systems hardware components but a high energy performance level requirement.
 - In order to achieve the goal of producing a very light air vehicle but capable of high g-loads at supersonic speed, 50% of the airframe will be made of composite materials leading to lower weight, higher thrust-to-weight ratio (T/W) and lower wing loading.
 - Existing engines and derivatives, as well as advanced propulsion technologies will be considered.
 - As far as possible and consistent with weight and cost reduction, European ‘off-the-shelf’ equipment (such as landing gear) will be used.
- An innovative concept of an agile open Integrated Training System (ITS)
 - The JANUS ITS will be a fully configurable platform able to integrate all training phases from basic up to Lead In Fighter Training (LIFT), ensuring the interfaces between all learning tools and platforms.
 - ITS will embrace the preparation, rehearsal, air training, debriefing and Learning Management Systems using a mix of emulation, simulation and Virtual Reality-Augmented Reality (VR-AR) and Artificial Intelligence (AI) technologies deployed on the air vehicle as well as in the control centre.
 - The JANUS ITS will avoid on-board weapon systems by simulated avionics including electronic warfare, cybersecurity and weather radar system, animated from the ground with data transferred via data link and combined with on-board simulation.
 - The JANUS ITS will include advanced and innovative functions (such as transmission of fictive radar locks), using a global environment simulation.
 - The JANUS ITS will deliver a modern Live Virtual Constructive (LVC) environment, mixing real flights (Live), manned simulated flights (Virtual), and software simulated flights (Constructive). The integration in a DMOC, dedicated to high level advanced training and exercises, will be studied.
 - JANUS will study new advanced features for pilot monitoring and aiding both instructors and pilots (such as AI assistance to improve situation awareness, and physiological monitoring).
 - The JANUS ITS will also integrate measures needed to ensure a high level of security of transferred information and computer-generated data as well as integral cyber protection.




Figure 2. JANUS concept in „Air Combat and Ground Attack” mission




Figure 1. JANUS concept in „Red Air” mission




Figure 3. Extended training range with JANUS

2.2. Janus Methodology

The JANUS design concept would revolutionize the future initial and advanced air combat training by dramatically reducing its cost and enhancing its performances. The JANUS consortium will provide a systemic answer for the medium and long term training, with some applicable solutions to be fielded more rapidly. Given the demanding nature of the overall concept, the Janus project team will perform a feasibility study to demonstrate its viability. The following topics will be addressed:

- Definition of the operational needs and detailed requirements
- Feasibility of the air vehicle: starting from the baseline concept, a range of solutions around suitable propulsions in the range from 42 kN to 50 kN (reheat). will be presented
- Design of the ITS architecture: ground installation, data link choice and on-board avionics dedicated to weapon system simulation and training environment, required interfaces
- Conclusion of the overall concept: cost analysis, requirement review in Seminars with operational users (European Air Forces), review with European and national technology and strategy authorities

The JANUS 7 nations consortium consists of experienced specialists from 14 leading national Research Establishments, Universities as well as specialised Industries. The composition of the consortium guarantees for high standard in preliminary and detail air vehicle design, in ITS and in network IT design. The consortiums airpower advisors and former military efficiently contribute with Operational know how, training and air system design. The consortium is not influenced by any product-bias and acts in complete independence.

2.3. Janus Proposal Added Value

The JANUS concept is providing a solution that can accelerate the pilot initial training and allows to perform already an important part of the advanced fighter training. It increases the training efficiency and reduces costs. Enhanced cost-effectiveness will be achieved through innovation in the platform design and using an extended ITS (realistic simulation of all existing aircraft interfaces and weapon systems, as well as complex electromagnetic and cyber environment). The system will be designed to reduce Life Cycle Costs, using the latest predictive maintenance technologies and optimizing maintenance, repair and operations (MRO) organisations.

The JANUS architecture will be designed to be adaptable to existing situations and address future air combat systems evolutions. All training environment definitions and tools will be available to partner nations. JANUS system is a global solution developed to provide a European cooperative service able to encompass all existing and forthcoming training materials (e-learning, simulators, etc.), from basic up to LIFT. It proposes a solution for “red air aircraft” that can be connected to a modern DMOC. The JANUS system will be capable of providing demanding electronic and cyber warfare operational environments to enhance the realism of scenarios.

It integrates cutting-edge innovations. The JANUS architecture will be designed to integrate future innovations enhancing system capabilities and to reduce operating costs. ‘Big data’ solutions, (for example predictive maintenance, artificial intelligence for “red aircraft” behaviour, virtual and augmented reality interfaces, pilot physiological, cognitive and emotional monitoring) will be studied.

2.4. Why a New Supersonic, Light, Advanced Trainer and “Red Air” Aircraft?

The volume inside the SEP envelope (Figure 4) shows the available Specific Excess Power SEP potential depending of Mach number and Altitude: SEP is directly representative for climb rate and acceleration or a combination of both. The surface of the volume represents steady-state conditions i.e. at 1 g (no turns).

- Supersonic trainer and fighter present high energy potentials (SEP) required in air combat manoeuvres
- A subsonic trainer cannot match those qualities and does not fulfil advanced trainer requirements




Figure 4. Specific Excess Power versus altitude and Mach number




Figure 5. Specific Excess Power versus altitude and Mach number for traditional subsonic trainer, supersonic “light” trainer and supersonic fighter

But also regarding T/R (sustained and instantaneous turn-rates), the superiority of a supersonic A/T design is evident: especially in the transonic region from Mach 0.85 to 1.2, superior performance is required for a maximum of “downloading” from extremely expensive high performance combat aircraft flight hours to the supersonic A/T. The same performance and low-cost requirements are needed in the “red-air” missions. In this context, the upper-end of Advanced Training missions can already be performed on the Advanced Trainer, and must not be executed on the high performance fighters.




Figure 6. Sustained Turn Rates versus Mach number of supersonic and subsonic Advanced Trainer (at 30 kft, 50% internal fuel)


A major difficulty for the Air Forces in their training syllabus lies in the fact that in peace time supersonic flight is restricted to dedicated areas or over the sea. However, a real BVR fight can often start in the supersonic and continue into the high subsonic regime (Mach 0.85 to 1) after a few minutes. Therefore the Janus superior performance in the transonic region (Mach 0.85 to 1.2) will bring the following advantages (as clearly seen in Figure 6):

- In the rare opportunities to train in the lower supersonic regime, Janus can provide similar performance like combat aircraft.

- In the usual advanced training in the high subsonic regime, Janus offers excellent realistic performance in a region where the conventional AT performance collapses beyond Mach 0.8 and does not provide realistic training results.

Supersonic designs (Janus, T-7, T-50) with reheat engines present performance close to high performance fighter aircraft, which is operationally important. Subsonic designs with high turn rates at low subsonic Mach numbers present operationally less important capabilities. The Janus future conceptual selection procedure emphasis will address higher supersonic capabilities at the expense of less subsonic turn rates (lower wing-loading W/L). Or, vice versa, higher subsonic turn rates at the expense of supersonic capabilities. High thrust to weight ratio (T/W), also due to an advanced engine for instance, will enhance mainly SEP incl. supersonic performance.

The Feasibility Study shall be executed in close cooperation between User (Requirements) and Study Team (Solutions). The early Conceptual design with basic layout and data (T/W and W/L) is key for operational utility and must be addressed with the User right at the beginning. The users are therefore offered early participation in the requirements development.



	AT Janus	BAE Hawk Mk 65	T-50 Golden Eagle	T-38A Talon	F/A-18C/D
Length	11 m	12.4 m	13.1 m	14.1 m	17.1 m
Area	18 m ²	16.7 m ²	23.7 m ²	15.8 m ²	38 m ²
empty weight	3.1 t				3.27 t

Small Size and Low Weight Means Low Cost!

Figure 7. Comparison of size between JANUS Baseline Design, Hawk, T-50, T-38 and F/A-18 C




Figure 8. JANUS three side view and perspective drawing

3. CONCLUSION

The JANUS concept is providing optimized air combat training capabilities: this means a solution, which is considering the full envelope/all options of air combat engagements in order to increase the training efficiency. First, by being able to train earlier a complete combat scenario on a representative air platform, which helps to accelerate the advanced training phase and to identify and download situations showing what can be done by current fighters to JANUS (or the other way around). This acceleration is providing a real gain in training efficiency. As JANUS system can also be used as a realistic opposing (“red”) aircraft, it helps also to increase the efficiency of advanced training and exercises by providing very realistic targets. It allows to reinforce the skills of pilots in those phases, thus increasing the efficiency of the operational training.

The core of the JANUS project is a study of a solution that aims to reduce training costs through an affordable operational air vehicle and an agile ITS. This goal will be reached by a design methodology that will concentrate the innovation and the developments to the critical issues for the concept (aerodynamics, propulsion, simulated weapon system, ITS architecture, etc.): the remaining topics will be adapted from existing solution, optimizing the development.

By developing a low weight/high performance aircraft and simulations to replace part of the training to be performed on fighter aircraft, the JANUS system is drastically reducing the fuel consumption and thus its impact on air forces budgets. In addition, JANUS specifications will integrate also new MRO concepts (such as predictive maintenance based on big data analysis coming from sensors) in order to reduce the MRO costs both for the air platform and ITS. In addition, technologies like simulators, virtual aircraft, simulated optronic or EW environment are aimed at reducing the global training life cycle costs, leaving more front-line aircraft for operations. Finally, the small engine size of JANUS (compared to a real fighter) and the use of simulation to build complex scenario with a limited number of flying aircraft is limiting the noise level generated by the training, particularly during night and reduce fossil energy consumption. These characteristics helps to increase the training hours and training areas compared to equivalent situation based on fighter only.

BIBLIOGRAPHY

- [1] EDIDP (European Defence Industrial Development Programme), EDIDP-ACC-CJTP-2019, Call identifier: Call EDIDP-ACC-2019, Brussels, European Commission;
- [2] <http://aviationweek.com/defense/multimission-concept-lightweight-advanced-trainers>, accessed May 11 2016;
- [3] APP Aircraft Performance Program (trade mark) developed and source code owned (not released) by ALR. Commercial product. ALR Zurich, Switzerland;
- [4] Hillaker H., YF-16 Design Concept and Philosophy, Paper presented at 23 Israel Annual Conference on Aviation and Astronautics, 11-12 Feb. 1981, Edited by Univ.Michigan, April 1991.
- [5] Whitford R., Design for Air Combat, Jane’s Publishing Company Ltd, London 1987.
- [6] Asselin M., An Introduction to Aircraft Performance, AIAA Inc., Reston VA, 1997.
- [7] Orlik-Rückemann K.J., Aerodynamics of Manoeuvring Aircraft, Canadian Aeronautics and Space Journal, Vol.38, No.3, Sept.1992, pp.106-115.
- [8] Herbst W.B., Supermanoeuvrability, Proc. of AFOSR-FJSRL Workshop on Unsteady Separated Flow. Colorado Springs, August 1983.
- [9] Robinson B.A., Barnett R.M., Agrawal S., Simple Numerical Criterion for Vortex Breakdown, AIAA Journal, Vol.32, No.1, 1994, pp.116-122.
- [10] Orlik-Rückemann K.J., Aerodynamic Coupling between Lateral and Longitudinal Degrees of Freedom, AIAA Journal, Vol.12, No.12, 1977, pp.1792-1799.

- [11] Orlik-Rückemann K.J., Dynamic Stability Testing of Aircraft - Needs Versus Capabilities, *Prog.Aerospace Sci.*, Vol.16, No.4, 1975, pp.431-447.
- [12] Orlik-Rückemann K.J., Aerodynamic Aspects of Aircraft Dynamics at High Angles of Attack, *Jour.of Aircraft*, Vol.20, No.9, Sept.1983, pp.737-752.
- [13] Rom J., High Angle of Attack Aeodynamics, Springer-Verlag, Berlin 1992.
- [14] Gordnier R.E., Computation of Vortex Breakdown on a Rolling Delta Wing, *Jour.of Aircraft*, Vol.32, No.3, pp.686-688.
- [15] Gordnier R., Computation of Delta Wing Roll Maneuvers, *Jour.of Aircraft*, Vol.32, No.3, May-June 1995, pp.486-492.
- [16] Kandil O., Chuang H., Computation of Vortex-Dominated Flow for a Delta Wing Undergoing Pitching Oscillation, *Jour. of Aircraft*, Vol.28, No.9, Sept.1990, pp.1589-1595.
- [17] Kandil O., Chuang H., Influence of Numerical Dissipation on Computational Euler Equations for Vortex-Dominated Flows, *AIAA Journal*, Vol.25, Nov.1987, pp.1426-1434.
- [18] Kandil O., Recent Advances in Multidisciplinary Aeronautical Problems of Fluid/Structures/Dynamics Interaction, Proceedings of Second Seminar on „Recent Research and Design Progress in Aeronautical Engineering and its Influence on Education”, edited by Z.Goraj, Warsaw 1997, Part I, pp. 15-34.
- [19] Menzies M., Kandil O., Natural Rolling Responses of a Delta Wing in Transonic and Subsonic Flows, *AIAA Atmospheric Flight Mechanics Conference*, AIAA-96-3391, pp.246-254, San Diego 1996.
- [20] Kandil O., Kandil H., S.Massey, Simulation of Tail Buffet Using Delta Wing Vertical Tail Configuration, *AIAA Atmospheric Flight Mechanics Conference*, AIAA-93-3688, pp.566-577, Monterey 1993.
- [21] Kandil O., Sheta E., Massey S., Buffet Responses of a Vertical Tail in Vortex Breakdown Flows, *AIAA Atmospheric Flight Mechanics Conference*, AIAA-95-3464, pp.345-360, Baltimore 1995.
- [22] Kandil O., Massey S., Sheta E., Aerostructural Vortical Flow Interactions with Applications to F/A-18 and F-117 Tail Buffet, High-Angle-of-Attack Technology Conference, NASA Langley Research Center, Hampton, VA, Sept.1996, (20 p.).
- [23] Hsu C., Liu C., Numerical Study of Vortex-Dominated Flows for Wings at High Incidence and Sideslip, *Jour. of Aircraft*, Vol.29, No.3, May-June 1992, pp.396-403.
- [24] Lopez J., Axisymmetric Vortex Breakdown, *J.Fluid Mech.*, (1990), Vol.221, Part 1. Confined Swirling Flow: pp.533-552, Part 2. Physical Mechanisms: pp.553-576.
- [25] Strohmeier D., Orłowski M., Longo J., Hummel D., Bergmann A., An Analysis of Vortex Breakdown Predicted by the Euler Equations, *ICAS Proceedings*, 96-1.6.3., pp.1189-1200, Sorrento 1996.
- [26] Boffadossi M., Calculation of Vortex Breakdown over „delta” Wing by a Vortex-Lattice Method, *ICAS Proc. of 20th Congress*, Sorrento, Sept.1996, pp.1201-1210.
- [27] Robinson B.A., Barnett R.M., Agrawal S., Simple Numerical Criterion for Vortex Breakdown, *AIAA Journal*, Vol.32, No.1, 1994, pp.116-122.
- [28] Gursul I., Criteria for Location of Vortex Breakdown over Delta Wings, *Aeronautical Journal*, May 1995, pp.194-196.
- [29] Luckring J., Aerodynamics of Strake-Wing Interaction, *Journ. of Aircraft*, Vol.16, No.11, Nov.1979, pp.756-762.
- [30] Polhamus E.C., A Concept of the Vortex Lift of Sharp-Edge Delta Wing based on a Leading-Edge-Suction Analogy, *NASA TN D-3767*, 1966.
- [31] Polhamus E.C., Predictions of Vortex-Lift Characteristics by a Leading-Edge Suction Analogy, *Journ.of Aircraft*, Vol.8, No.4, April 1971, pp.193-199.

- [32] Vizel E., Gontchar A., Investigations of Aerodynamic Characteristics of Part-Scale Aircraft Model of Moderate Wing Sweep Angle and the Structure of Vortices versus the LEX's Form-in Plane and its Parameters, (In Russian), Journal - Technika Vojennogo Flota (TBΦ), No.1-2, 1994, pp.52-58.
- [33] Tu E.L., Vortex-Wing Interaction of a Close-Coupled Canard Configuration, Jour. of Aircraft, Vol.31, No.2, 1994, pp.314-321.
- [34] Gordnier R., Visbal M., Unsteady Vortex Structure over a „delta” Wing, Jour. of Aircraft, Vol.31, No.1, Jan.-Feb. 1994, pp.243-248.
- [35] Wood R., Miller D., Assessment of Preliminary Prediction Techniques for Wing Leading-Edge Vortex Flows at Supersonic Speeds, Jour.of Aircraft, Vol.22, No.6, June 1985, pp.473-485.
- [36] Delery J., Aspects of Vortex Breakdown, Prog. Aerospace Sci., Vol.30, pp.1-59, 1994.
- [37] Ekaterinaris J.A., Schiff L.B., Navier-Stokes Solutions for an Oscillating Double-delta Wing, J. Of Aircraft, 32, 2, 1995, pp.228-234.
- [38] Cornelius K.C., Analysis of Vortex Bursting Utilizing Three-Dimensional Laser Measurements, Journ. of Aircraft, Vol.32, No.2, March-April 1995, pp.297-306.
- [39] Hoeijmakers H., Computational Vortex Flow Aerodynamics, AGARD CP-342, 1983, No. 18, pp.18.1-18.35.
- [40] Hitzel S.M., Schmidt W., Slender Wings with Leading-Edge Vortex Separation - a Challenge for Panel-Methods and Euler-Codes, AIAA Paper 83-0262, 1983.
- [41] Ericson L., Challenges in High-Alpha Vehicle Dynamics, Prog. Aerospace Sci., Vol.31, pp.291-334, 1995.
- [42] Ericson L., Pitch Rate Effects on „delta” Wing Vortex Breakdown, Journal of Aircraft, Vol.33, No.3, May-June 1996, pp.639-642.
- [43] Ericson L., Delta Wing Vortex Breakdown Dynamics, AIAA Paper 95-0367, Jan.1995.
- [44] Khrabrov A., Kolinko K., Experimental Investigations of the High Aspect Ratio Wing Unsteady Aerodynamics at Stall Regimes and its Mathematical Modeling, Proceedings of Second Seminar on „Recent Research and Design Progress in Aeronautical Engineering and its Influence on Education”, edited by Goraj Z., Warsaw 1997, Part I, pp. 195-200.
- [45] Khrabrov A., Miatov O., Experimental and Theoretical Investigations of Delta Wing High Angles of Attack Unsteady Aerodynamics, Proceedings of Second Seminar on „Recent Research and Design Progress in Aeronautical Engineering and its Influence on Education”, edited by Goraj Z., Warsaw 1997, Part I, pp. 201-206.
- [46] Greenwell D., Wood N., Some Observations on the Dynamic Response to Wing Motion of the Vortex Burst Phenomenon, Aeronautical Journal, Feb.1994, pp.49-59.
- [47] Mabey D., Unsteady Vortex Flow Phenomena on „delta” Wings at High Angles of Incidence, ICAS Proceedings, 96-1.6.1., pp.1167-1176, Sorrento 1996.
- [48] Alcorn C., Croom M., Francis M., Ross H., The X-31 Aircraft: Advances in Aircraft Agility and Performance, Prog. Aerospace Sci., Vol.32, pp.377-413, 1996.
- [49] Dzelinin Yu., Aircraft Stability and Maneuverability During Dynamic Departure at High Angles of Attack (In Russian), Journal - Technika Vojennogo Flota (TBΦ), No 1-2, 1994, pp.59-66.
- [50] J.Rom, High Angle of Attack Aerodynamics - the State of Art and Future Challenges, Proceedings of Second Seminar on „Recent Research and Design Progress in Aeronautical Engineering and its Influence on Education”, edited by Goraj Z., Warsaw 1997, Part I, pp.41-54.
- [51] Goraj Z., New Directions of Research in Aeronautical Engineering - Breaking the Barriers, Journal of Theoretical and Applied Mechanics, 4, 35, 1997, pp.781-812.
- [52] Pamadi B.N., Performance, Stability, Dynamics, and Control of Airplanes, AIAA Education Series, 1998.

- [53] Payne F.M., Nelson R.C., An Experimental Study of Vortex Breakdown on a Delta Wing, NASA CP-2416, 1992.
- [54] Skow A.M., Titriga A.Jr., Moore W.A., Forebody-Wing Vortex Interactions and their Influence on Departure and Spin Resistance, CP-247, AGARD, paper 6, 1979.
- [55] NASA Report TP 2011, Exploratory Study of the Effects of Wing-Leading Edge Modifications on the Stall/Spin Behaviour of a Light General Aviation Airplane, Washington DC, 1982.
- [56] DiCarlo D.J., Glover K.E., Stewart E.C., Stough H.P., Discontinuous Wing Leading Edge to Enhance Spin Resistance, Journal of Aircraft, Vol.22, 4, 1985, pp.283-288.
- [57] Ghmman A.H., Goraj Z., Review On The Influence Of High Angle Of Attack Aerodynamics On Aircraft Dynamic Stability, Jour.Theor. Appl.Mech., 3, 33, 1995, pp.667-686.
- [58] Ross A.J., Investigation of Nonlinear Motion Experienced on a Slender-Wing Research Aircraft, Journal of Aircraft, Vol.9, 1972, pp.625-631.
- [59] Ericson L.E., Wing Rock Generated by Forebody Vortices, AIAA Paper 87-0268, 1987.
- [60] Murri D., Shah G., DiCarlo D., Actuated Forebody Strake Controls for the F 18 High Alpha Research Vehicle, Journal of Aircraft, Vol.32, 3, May-June 1995, pp.555-562.
- [61] Ng T.T., Suarez C.J., Kramer B.R., Ong L.Y., Ayers B., Malcolm G.N., Forebody Vortex Control for Wing Rock Suppression, Journal of Aircraft, Vol.31, 2, 1994, pp.298-305.
- [62] Murri D.G., Nguyen L.T., Grafton S.B., Wind-Tunnel Free-Flight Investigation of a Model of a Forward-Swept-Wing Fighter Configuration, NASA TP 2230, Feb.1984.
- [63] Hsu C.H., Lan C.E. Theory of Wing Rock, J.of Aircraft 1985, Vol.22, No.10, pp.920-924.
- [64] Weissman R., Status of Design Criteria for Predicting Departure Characteristics and Spin Susceptibility, Journal of Aircraft, Vol.12, 12, 1975, pp.989-993.
- [65] Hillaker H., YF-16 Design Concept and Philosophy, Paper presented at 23 Israel Annual Conference on Aviation and Astronautics, 11-12 Feb. 1981, Edited by Univ.Michigan, April 1991.
- [66] Bitten R., Operational Benefits of Thrust Vectoring (TVC), NASA CP-3149, Part 2, Vol.I, 1990, pp.587-601.
- [67] Grafton S.B., Libbey Ch.E., Dynamic Stability Derivatives of a Twin-Jet Fighter model for Angles of Attack from -10° to 110° , NASA TN D-6091, Washington Jan.1971.
- [68] Busemann A., Aerodynamic Forces at Supersonic Speeds, Luftfahrtforschung, Vol.12, No 6, Oct.3, 1935.
- [69] Wilson H.A., Lovell J.C., Full Scale Investigation of the Maximum Lift Flow Characteristics on an Airplane Having Approximately Triangular Planform, NACA RM L6K20, Nov.1946.
- [70] Peckham D.H., Atkinson S.A., Preliminary Results of Low Speed Wind Tunnel Test on a Gothic Wing of Aspect Ratio 1.0, Aeronautical Research Council, CP 508, April 1957.
- [71] Werle H., Sur l'éclatement des tourbillons d'apex d'une aile delta aux faibles vitesses, La Recherche Aeronautique, No.74, Jan/Feb 1960.
- [72] Lambourne N.C., Bryer D.W., The Bursting of Leading Edge Vortices – Some Observations and Discussion of the Phenomenon, Report and Memoranda No.3282, Aeronautical Research Council, April 1961.
- [73] Squire H.B., Analysis of the Vortex Breakdown Phenomenon, Part I, Imperial College of Science and Technology, Aeronautics Department, Report No.102, August 1960.
- [74] Taylor S.L. et.al., Experimental and Computational Study of the Subsonic Flow About a 75° Swept Delta Wing, AIAA Paper 87-2425.
- [75] Gordnier R.E., Visbal M.R., Numerical Simulation of the Unsteady Vortex Structure Over a Delta Wing, AIAA Paper 91-1811.
- [76] Webster W.P., Shang J.S., Numerical Simulation of Vortex Breakdown Over a Delta Wing, AIAA Paper 91-1814.

- [77] Kandil O.A., Kandil H.A., Liu C.H., Shock Vortex Interaction Over a 65° Delta Wing in Transonic Flow, AIAA Paper 93-2973.
- [78] Aerodynamic Staff of the National Physical Laboratory, Technical Report by the Accident Investigation Subcommittee on the Accident to the Aeroplane G AAZK at Meopham, Kent (England), on 21 July 1930, Aeronautical Research Council, Report and Memoranda No.1360, 1931.
- [79] White J.A., Hood M.J., Wing Fuselage Interference, Tail Buffeting and Air Flow About the Tail of a Low Wing Monoplane, NACA Technical Report No.482, 1934.
- [80] Abdrashitov G., Tail Buffeting, TsAGI, Moscow, Report No.395, 1935, NACA TM 1041, 1943.
- [81] Triplett W.E., Pressure Measurement on Twin Vertical Tails in Buffeting Flow, Journal of Aircraft, Vol.20, No.1, 1983, pp.920-925.
- [82] Ericson G.E. et.al., Experimental Investigation of the F/A 18 Vortex Flows at Subsonic Through Transonic Speeds, AIAA Paper 89 2222.
- [83] Cole S.R., Moss S.W., Doggett Jr. R.V., Some Buffet Response Characteristics of a Twin Vertical Tail Configuration, NASA TM 102749, Oct.1990.
- [84] Lee B.H.K. et.al., Wind Tunnel Investigation of Tail Buffet on the F-18 Aircraft, Paper 1, AGARD Conference Proceedings No.483, 1990.
- [85] Washburn A.E., Jenkins L.N., Ferman M.A., Experimental Investigation of Vortex Fin Interaction, AIAA Paper 93 0050.
- [86] Rizk Y.M., Guruswamy G.P., Gee K., Numerical Investigation of Buffet on F 18 Aircraft, AIAA Paper 92-2673.
- [87] Kandil O.A., Kandil H.A., Massey S.J., Simulation of Tail Buffet Using Delta Wing Vertical Tail Configuration, AIAA 93-3688 CP, pp.566-577.
- [88] Kandil O.A., Flanagan M.W., Vertical Tail Buffet in Vortex Breakdown Flows, 5th International Symposium on Computational Fluid Dynamics, Sendai, Japan, August 31 Sept.3, 1993.
- [89] Kandil O.A., Massey S.J., Kandil H.A., Computations of Vortex Breakdown Induced Tail Buffet Undergoing Bending and Torsional Vibrations, AIAA Paper 94-1428.
- [90] Hirsch C.: Numerical Computation of Internal and External Flows, Vol 1-2, 1988.
- [91] Beam R.M., Warming R.F., An Implicit factored Scheme for the Compressible Navier Stokes Equations, AIAA Journal, Vol.16, No.4, 1978, pp.393-402.
- [92] Steger J.L., Warming R.F., Flux Vector Splitting of the Inviscid Gasodynamic Equations with Application to Finite Difference Methods, NASA TM 78605, July 1979 (also Journal Of Comp.Physics, Vol.40, No.2, April 1981, pp.263-293).
- [93] Van Leer B., Flux Vector Splitting for the Euler Equations, ICASE Report 82-30, Sept.1982 (also Lecture Notes in Physics, Vol.170, 1982, pp.507-512).
- [94] Thomas J.L., Van Leer B., Walters R.W., Implicit Flux Schemes for the Euler Equations, AIAA Paper 85-1680.
- [95] Massey S.J., A Direct Numerical Simulation of Vortex Braekdown Induced Tail Buffet, M.Sc. Degree Thesis, Old Dominion University, May 1994, (unpublished).
- [96] Kandill O.A., Recent Advances in Multidisciplinary Aeronautical Problems of Fluids/Structures/Dynamics Interaction, Proceedings of Second International Seminar RRDPAE_1996, Edited by Z.Goraj, Warsaw 1996, pp.15-34.
- [97] Küchemann D., The aerodynamic design of aircraft. Pergamon Press, Oxford 1978.
- [98] AGARD Conference Proceedings CP 319, Combat Aircraft Manoeuvrability, Dec.1981.
- [99] Mabey D.G., Some aspects of aircraft dynamic loads due to flow separation. Progress in Aerospace Science, No. 2, 1989.
- [100] Mabey D.G., An hypothesis for the prediction of flight penetration of ming buffeting from dynamic tests of a wind tunnel model. ARC CP 1171, 1971.

- [101] Kania W., Gnarowski W., Jóźwiak R., Stalewski W., Wysocki Z., Zwierchanowska B., Żółtak J., Aerodynamic Design and Wind Tunnel Tests of Advanced Attack Aircraft Cobra 2000, Proc. of the Second Seminar on „Recent Research and Design Progress in Aeronautical Engineering and its Influence on Education”, Part I, Edited by Z.Goraj, Warsaw 1997, pp.169-174.
- [102] Romanowski R., Low Speed Tests of the Dorsal Intake Pressure Recovery for Cobra 2000 Aircraft, Proc. of the Second Seminar on „Recent Research and Design Progress in Aeronautical Engineering and its Influence on Education”, Part II, Edited by Z.Goraj, Warsaw 1997, pp.63 -68.
- [103] Holligsworth E.H., Lohen M., Determination of F 4 Aircraft Transonic Buffet Characteristics, Jour. of Aircraft, Vol.8. No.10, October, 1971.
- [104] Damstrom E.K., Mayes J.F., Transonic Flight and Wind Tunnel Buffet Onset Investigation of the F 8D Aircraft, Jour. of Aircraft, Vol.8. No.4, April, 1971.
- [105] Herbst W., Dynamics of Air Combat, J.Aircraft, Vol.20, No.7, July 1983, pp.594-598.
- [106] Samoilovitch O., Aerodynamic Configurations of Contemporary and Prospective Fighters, Proc. of Second Seminar on “Recent Research and Design Progress on Aeronautical Engineering and its Influence on Education”, edited by Z.Goraj, Warsaw, Nov. 1996, part II, pp.233-246.
- [107] Rom J., High Angle of Attack Aerodynamics the State of Art and Future Challenges, Proceedings of Second Seminar on “Recent Research and Design Progress in Aeronautical Engineering and its Influence on Education”, edited by Goraj Z., Warsaw 1997, Part I, pp.41-54.
- [108] Alcorn C., Croom M., Francis M., Ross H., The X 31 Aircraft: Advances in Aircraft Agility and Performance, Progr. Aerosp. Sc., Vol.32, pp.377-413, 1996.
- [109] Whitford R., Fundamentals of Fighter Design, Cycle 6 papers in Air International, 1996-97.
- [110] Delery J.M., Aspects of Vortex Breakdown, Progr. Aerosp. Sc., 30, 1994, pp.1-59.
- [111] Lopez J., Axisymmetric Vortex Breakdown, J.Fluid Mech., (1990), Vol.221, Part 1. Confined Swirling Flow: pp.533-552, Part 2. Physical Mechanisms: pp.553-576.
- [112] Boffadossi M., Calculation of Vortex Breakdown over Delta Wing by a Vortex Lattice Method, ICAS Proc. of 20th Congress, Sorrento, Sept.1996, pp.1201-1210.
- [113] Robinson B.A., Barnett R.M., Agrawal S., Simple Numerical Criterion for Vortex Breakdown, AIAA Journal, Vol.32, No.1, 1994, pp.116-122.
- [114] Gursul I., Criteria for Location of Vortex Breakdown over Delta Wings, Aeronautical Journal, May 1995, pp.194-196.
- [115] Luckring J., Aerodynamics of Strake Wing Interaction, Journ.of Aircraft, Vol.16, No.11, Nov.1979, pp.756-762.
- [116] Vigel E., Gontchar A., Investigations of Aerodynamic Characteristics of Part Scale Aircraft Model of Moderate Wing Sweep Angle and the Structure of Vortices versus the LEX's Form in Plane and its Parameters, (In Russian), Journ. Technika Vojennogo Flota, No 1-2, 1994, pp.52 -58.
- [117] Yu Dzelnin, Aircraft Stability and Maneuverability During Dynamic Departure at High Angles of Attack (In Russian), Journal - Technika Vojennogo Flota (TBΦ), No 1 2, 1994, pp.59-66.
- [118] Ericsson L., Challenges in High Alpha Vehicle Dynamics, Progr. Aerosp. Sc., Vol.31, pp.291-334, 1995.
- [119] Ericsson L., King H., Rapid Prediction of High Alpha Unsteady Aerodynamics of Slender Wing Aircraft, Journ. of Aircraft, Vol.29, No.1, Jan. Feb.1992, pp.85-92.
- [120] Ericsson L., Pitch Rate Effects on Delta Wing Vortex Breakdown, Vol.33, No.3, May-June 1996, pp.639-642.
- [121] Ericsson L., Delta Wing Vortex Breakdown Dynamics, AIAA Paper 95-0367, Jan.1995.
- [122] Khrabrov A., Kolinko K., Experimental Investigations of the High Aspect Ratio Wing Unsteady Aerodynamics at Stall Regimes and its Mathematical Modeling, Proceedings of Second Seminar on “Recent Research and Design Progress in Aeronautical Engineering and its Influence on Education”, edited by Z.Goraj, Warsaw 1997, Part I, pp. 195-200.

- [123] Khrabrov A., Miatov O., Experimental and Theoretical Investigations of Delta Wing High Angles of Attack Unsteady Aerodynamics, Proceedings of Second Seminar on “Recent Research and Design Progress in Aeronautical Engineering and its Influence on Education”, edited by Z.Goraj, Warsaw 1997, Part I, pp. 201-206.
- [124] Norris G., Breaking the Stall Barrier, *Flight International*, 11-17 Nov.1992, pp.34-37.
- [125] Ghmmam A.A., Goraj Z., A Review of the Influence of High Angle of Attack Aerodynamics on Aircraft Dynamic Stability, *Jour.Ther.Appl.Mech.*, 3, 33, 1995, pp.667-686.
- [126] Well K.H., Faber B., Berger E., Maneuver Optimization of Aircraft Utilizing High Angles of Attack, *ICAS Proceedings*, 80-6.4., pp.257-264, 1980.
- [127] Manor D., Wentz Jr. W., Flow over Double-Delta Wing and Wing Body at High Alpha, *Jour.of Aircraft*, Vol.22, No.1, Jan.1985, pp.78-82.
- [128] Tu E.L., Vortex Wing Interaction of a Close Coupled Canard Configuration, *Jour.of Aircraft*, Vol.31, No.2, March-April 1994, pp.314-321.
- [129] Beyers M.E., Interpretation of Experimental High-Alfa Aerodynamics - Implications for Flight Prediction, *Jour. of Aircraft*, Vol.32, No.2, March April 1995, pp.247-261.
- [130] Beyers M., Investigation of High Manoeuvrability Flight Vehicle Dynamics, *ICAS Proceedings*, 80 7.2., pp.278-292, 1980.
- [131] John H., Kraus W., High Angle of Attack Characteristics of Different Fighter Configurations, *AGARD-CP-247*, Paper 2(15), 1979.
- [132] Rom J., High Angle of Attack Aerodynamics; Subsonic, Transonic, and Supersonic Flows, Springer Verlag, New York 1992. *Week & Space Technology*, Aug.8, 1994, p.54.
- [133] Chambers J.R., Overview of Stall/Spin Technology, *AIAA Paper 80-1580*, Danvers Aug.1980.
- [134] Goraj Z., Aerodynamics For High AOA And Introduction Of Polish Aviation Study, *Proceedings of The 35th Aircraft Symposium*, Tokyo 1997, pp.177-180.
- [135] Tu E.L., Effect of Canard Deflection on Close-Coupled Canard-Wing-Body Aerodynamics, *Jour.of Aircraft*, Vol.31, No.1, Jan.-Feb. 1994, pp.138-145.
- [136] Hummel D., Oelker H., Effects of Canard Position on Aerodynamic Characteristics of a Close Coupled Canard Configuration at Low Speed, *Z.Flugwiss. Weltraumforsch.*15 (1991), pp.74-88.
- [137] Kendall E.R., Learjet G., The Minimum Induced Drag, Longitudinal Trim and Static Longitudinal Stability of Two Surface and Three Surface Airplanes, *AIAA-84-2164*.
- [138] Ericsson L., Cobra Maneuver Unsteady Aerodynamic Considerations, *Jour.of Aircraft*, Vol.32., No.1, pp.214-216.
- [139] Ransom S., Configuration Development of a Research Aircraft with Post Stall Manoeuvrability, *J.Aircraft*, Vol.20, No.7, July 1983, pp.599-605.
- [140] Gütter R., Friehmelt H., Haiplik R., Tactical Utility of the X 31A Using Post Stall Technologies, *ICAS Proceedings*, 96-3.7.5., pp.1574-1583, Sorento 1996.
- [141] Grafton S.B., Libbey Ch.E., Dynamic Stability Derivatives of a Twin Jet Fighter model for Angles of Attack from 10° to 110°, *NASA TN D 6091*, Washington Jan.1971.
- [142] Grafton S.B., Anglin E.L., Dynamic Stability Derivatives at Angle of Attack from -5° to 90° for the Variable Sweep Fighter Configuration with Twin Vertical Tails, *NASA TN D-6909*, Washington Oct.1972.
- [143] Goraj Z., High Angles Of Attack Flight Dynamics Of Contemporary And Prospective Fighters As A Function Of Their Configuration And Aerodynamics. *Proceedings of 21th Congress of the International Council of the Aeronautical Sciences*, *ICAS-98-1.7.5*, 13-18 September 1998, Melbourne.
- [144] Fomin A., Su 27 Flanker Story. *Air Fleet Russian Air Force*, *Aircraft & Space Review*, Publisher: RA Intervestnik 2000.
- [145] Goraj Z., Aerodynamics & Dynamics of Manoeuvrable Aircraft with Elements of Computing, *Scientific Series of Institute of Aviation*, Vol.13, 473 pages, Warsaw 2001 (in Polish).

List of abbreviations

A/C	Aircraft	PE	Physiological Events
ACMI	Air Combat Manoeuvring Instrumentation	PSC	Project Steering Committee
AFB	Air Force Bases	SEP	Specific Excess Power
AI	Artificial Intelligence	SMB	Security Management Board
AT	Advanced Trainer	TRMPMM	Technical Review and Project Management Meetings
AoA	Angle of Attack	UCAV	Unmanned Combat Aerial Vehicle
APP	Aircraft Performance Programme	USAF	United States Air Force
BFM	Basic Fighter Manoeuvre	UxV	Unmanned Vehicle
BVR	Beyond Visual Range	VMC	Visual Meteorological Conditions
CAD	Computer Assisted Design	VR-AR	Virtual Reality-Augmented Reality
CATS	Contracted Airborne Training Services	WVR	Within Visual Range
CDP	Capability Development Plan		
CFD	Computational Fluid Dynamics		
CJTP	Combat Jet Training Platform		
COTS	Commercial Off The Shelf		
DMO	Distributed Mission Operations		
DMOC	Distributed Mission Operation Centre		
DMT	Distributed Mission Training		
EAB	End-users Advisory Board		
EC	European Commission		
ECM	Electronic Countermeasure		
ECP EC	Collaboration Platform		
EDTIB	European Defence Technological and Industrial Base		
EM	Electromagnetic		
FAC	Forward Air Controllers		
FCAS	Future Combat Air System		
FCS	Flight Control System		
FOC	Full Operating Capabilities		
FSD	Full-Scale Development		
GSI	Ground Surveillance Intercept		
GUI	Graphical User Interface		
HLR	High Level Requirements		
HMI	Human Machine Interface		
IOC	Initial Operating Capabilities		
ITS	Integrated Training Systems		
LCA	Light Combat Aircraft		
LIFT	Lead In Fighter Training		
LMS	Learning Management System		
LVC	Live Virtual Constructive		
MDR	Mission Definition Review		
MRO	Maintenance, Repair and Operations		
MST	Management Support Team		
OBOGS	On-Board Oxygen Generating System		
PC	Project Coordinator		