

About seventy years ago, for average chemist explosives were associated with nitro-compounds or nitrates of alcohols called nitroesters. Explosive individuals like azides or fulminates were not interchangeably called explosives, but were treated like explosive materials and used like primary explosives in detonating or igniting cups [1].

The potential possibility of usage of complexes as a modern explosives was noticed and developed about sixty years ago.

Obtained then, first far-reaching explosives with structure of transition metal complexes were characterized by too large sensibility to mechanical stimuli and these works were stopped [2].

Development of works at this kind of compounds was observed in the eighties of the twentieth century, when people started to search for new, low sensitive primary explosives not including toxic elements, like mercury or lead [3].

Researches lead to the first conclusion, that the best detonation characteristics have complexes of metals like: silver, cadmium, cobalt, copper, chromium, nickel and zinc, which have in their own structure oxidizing anion like: $N(NO_2)^-$, $NCIO_3^{2-}$, $C(NO_2)_3^-$, ClO_4^- , ClO_3^- , JO_4^- , MnO_4^- , BrO_3^- , with ligands reach in nitrogen.

One of the first representative of this kind of compounds was *cis-bis-(5-nitrotetrazolato- N^2)tetraminecobalt(III)* perchlorate, called BNCP (Fig. 1.).




Fig. 1. Structure of BNCP




Fig. 2. Structures of NHN and CoHN.

This compound, like all primary explosives, has short time transition from burning to detonation, thanks to this it can be applied as a primary charge in a detonation cup.

Its detonation characteristics, for example, its detonation velocity (carry out 9100 m/s do pressing density 1,97 g/cm³) allows to apply this compound as a secondary explosive [4].

Simpler representative of complex primary explosives turned out to be tris(hydrazine)nickel(II) nitrate(V) (NHN), described in article [5] or its analogue including cobalt as a central atom (CoHN) (Fig. 2.).

Mentioned compounds did not find broad application in the branch of detonation cups and detonators, due to relatively low detonation parameters, what determined the use of their large amounts.

Crucial parameter of coordination explosives turned out to be their sensitivity to the laser light. Russian scientists started works on the series of compounds having the structure of perchloric complexes

of metals with tetrazol derivatives.

Obtained compounds, detonated, when initiated by the laser light at wave length 800 nm and energy 0,5 mJ [6].

Cudzilo and Szmigielski [7] from Military University of Technology studied ability to detonation process, under the influence of laser light at wave length 1,06 μm and energy density on the level of 50 mJ/cm², of perchloric complexes of nickel, silver and copper containing as a ligand 4-amino-5(3)-hydrazine-1,2,4-triazole (HAT).

Researches showed, that obtained compounds presented relatively low sensitivity to mechanical stimuli, such as friction (8-10 N) and were able to initiate crystal of pentrite

Complexes of transition metals initiated by laser light can be applied as an igniting materials, as well as in electrical detonators and also in the artillery tube of the ammo or rocket engines.

Mixture of bis(1,2-ethylenodiamine)copper(II) perchlorate with polymer binder, such as polybutadiene terminated by hydroxyl groups or popular high-energetic polymer GAP (poly(glycidyl azide)) burns illuminated by laser impulse with length 860 nm and power 0,3 W [8, 9].

This compound shows relatively high detonation parameters, which were described in article [10] and are characterized by relative ability to perform work in the underwater detonation test at the level of 110 % of trotyl (TNT) value and about 75 % of pentrite (PETN), hexogen (RDX) and octogen (HMX) values.




Fig. 3. Structure of bis(1,2-etylenodiamine)copper(II) chlorate(VII).

Similar parameters show other analogue nitrate and perchlorate chelating complexes of hydrazine (N₂H₄) and 1,2-ethylenodiamine (EN) with such metals like: copper, cobalt, nickel, mercury, cadmium, chromium and zinc.

The newest trend in the branch of detonation cups and detonators is the conception called NPD or NPED, it is Non Primary Explosive Detonator – detonator without primary explosive. Classical detonation cup is composed of two-part filling, primary explosive on the top – commonly lead azide, and the layer of pressed secondary explosive on the bottom of a cup.

NPED conception assumes elimination of primary explosive charge and its replacement by pyrotechnic mixture able to detonation and ignition of pentrite to detonation, or total filling of cup with mixture of compounds or compound able to detonation, but with a high usage safety – low sensitivity to friction, impact and electrostatic spark.

Conception of this type of detonators presented NITRO NOBEL company in the patent description [11].

Transition metals coordination compounds with ligands reach in nitrogen are often characterized by the ability to short time transition from burning to detonation and low sensitivity for mechanical

Percentage of tested compounds maximum pressure with respect to classical explosives determined by underwater detonation test

Tested explosive	P _{max}			
	%RDX	%TNT	%HMX	%PETN
[Cu(EN) ₂](ClO ₄) ₂	85,2	107,1	86,2	84,8
[Co(EN) ₃](ClO ₄) ₃	77,4	97,2	78,3	77,0
[Ni(EN) ₃](ClO ₄) ₂	72,8	91,5	73,7	72,5
[Hg(EN) ₂](ClO ₄) ₂	80,2	100,8	81,1	79,8
[Cd(N ₂ H ₄) ₃](ClO ₄) ₂	72,2	90,7	73,0	71,8
[Cr(N ₂ H ₄) ₃](ClO ₄) ₃	83,5	104,9	84,4	83,1
[Cd(N ₂ H ₄) ₃](NO ₃) ₂	74,5	93,6	75,3	74,1
[Zn(N ₂ H ₄) ₃](NO ₃) ₂	69,2	86,9	70,0	68,8
[Co(N ₂ H ₄) ₃](NO ₃) ₃	73,6	92,6	74,5	73,3
[Ni(N ₂ H ₄) ₃](NO ₃) ₂	83,6	105,0	84,5	83,1

or electrostatic stimuli. It can have effects in the development of the conception of detonators NPED with this type of coordination compounds filling.

Designing of explosives ignited by laser light, can contribute in the introduction to the world market of safe detonators and detonation cups, significantly improving standards of work, as well as decreasing ability of illegally acquired agents for terrorist attack application.

Literature

- Budnikow M., Lewkowicz N., Bystro I., Sirotinski W., Szechtier B.: Materiały wybuchowe i elaboracja. MON, Warszawa, 1955.
- Sidnitsky V. P., Fogelzang A. E.: Energetic materials based on co-ordination compounds. Russian Chemical Journal, 1997, 41, 4, 74-80.
- Lieberman M.L.: Chemistry of (5-Cyanotetrazolato-N³)pentaaminecobalt(III) Perchlorate and similar explosive co-ordination compounds. Industrial & Engineering Chemistry Product Research and Development, 1985, 24, 3, 436-440.
- Ilyushin M. A., Tselinskii I. V.: Energetic complexes for initiation systems. Russian Journal of Chemistry, 2001, 45, 1, 72-78.
- Zhu S.G., Wu Y.C., Zhang W.Y., Mu J.G.: Evaluation of a new primary explosive: nickel hydrazine nitrate (NHN) complex. Propellant Explosives and Pyrotechnics, 1997, 22, 317-320.
- Zhilin Yu., Ilyushin M.A., Tselinskii I.V., Kozlov A.S., Lisker I.S.: High-energy-capacity cobalt(III) tetrazolates. Russian Journal of Applied Chemistry, 2003, 76, 4, 572-576.
- Cudziło S., Szmigielski R.: Synthesis and investigation of some di-(R-1,2,4-triazolato)copper(II) perchlorates. Biuletyn WAT, 2003, 12, 5-17.
- Wojewódka A., Romanowski M., Belzowski J., Kudła S.: Mieszanina pirotechniczna inicjowana laserowo i jej zastosowanie. Zgłoszenie patentowe nr: P-384961.
- Wojewódka A., Belzowski J., Romanowski M., Kudła S.: VI Międzynarodowa Konferencja Naukowa IPOEX 2009 - Materiały wybuchowe - Badania - Zastosowanie - Bezpieczeństwo. Materiały konferencyjne. 2009, s.23.
- Wojewódka A., Belzowski J., Wilk Z., Staś J.: Energetic characteristics of transition metal complexes. Journal of Hazardous Materials, 2009, 171, 1175-1177.
- NITRO NOBEL AB Gyttorp: European Patent EP035503.

Janusz BELZOWSKI, M.Sc. Eng. graduated Silesian University of Technology, Faculty of Chemistry in 2005. At present is Ph.D. student and participant of Ph.D. studies in Faculty of Chemistry on Silesian University of Technology, also student of postgraduate studies 'Forensic science'. Science interests: chemistry and technology of explosives, organic synthesis, forensic science. Author and co-author of 1 science article, 3 conference reports, 2 posters and 6 patent applications.

Andrzej WOJEWÓDKA, Ph.D., D.Sc., Prof. of Sil. Univ. of Techn. is a graduate of Silesian University of Technology, Faculty of Chemistry (1974), where he acquired Ph.D. degree in 1988 with distinction. D.Sc. degree acquired (2004) in National Research Institute for Labor Protection in Kiev. Medal of National Education in 2005. Science interests: chemistry and technology of explosives. Author of 42 science articles, 42 conference reports and posters, 13 patents and patent applications.

Marcin ROMANOWSKI M.Sc. graduated Jagiellonian University of Technology, Faculty of Chemistry in 2004. Graduate of postgraduate studies 'Technology of Explosives' on Silesian University of Technology in 2007. At present worker in The Institute of Heavy Organic Synthesis 'Blachownia' in Kędzierzyn-Koźle. Science interests: chemistry and technology of polymers and explosives. Author and co-author of 1 science article, 2 posters and 5 patent applications.

XVIII National Training Scientific and Technical Conference

ANTYCORROSION

SYSTEMS • MATERIALS • COATINGS

14 – 16 april 2010 Ustroń – Jaszowiec

www.gliwice.sitpchem.org.pl