

## **STIMULATION OF OSTEOGENEZIS TO FIGHT WITH OSTEOPOROZIS.**

### **Stymulacja osteogenezy w walce z osteoporoza.**

Maciej Pawlikowski\*,

\*/ AGH- Univ. Science and Technology, Cracow, Poland. E-mail: mpawlik@agh.edu.pl

#### **Abstract**

Osteoporosis is not only process of destruction of bones. Elements removed from bones may migrate to soft tissue and crystalize there leading to many health troubles and often to death. Phenomenon of osteogenesis were described as biological- mineralogical reactions. Discussion concerning osteogenesis is presented in frames of bone creation and destruction. One can conclude the natural processes of bone formation is possible use to fight with osteoporosis.

**Key words:** osteoporosis, osteogenesis, stimulation,

#### **Streszczenie**

Osteoporoza nie jest wyłącznie procesem niszczenia kości. Pierwiastki wyprowadzane z kości mogą migrować do tkanek miękkich i tu krystalizować powodując wiele problemów zdrowotnych a nawet śmierć. Przedstawiono proces osteogenezy(kościotworzenia) jako zjawisko biologiczno-mineralogiczne. Dyskusje dotyczącej osteogenezy przedstawiono jako tworzenie i niszczenie kości. Stwierdzono, że naturalne procesy formowania kości można wykorzystać do walki z osteoporozą.

**Słowa kluczowe:** osteoporoza, osteogeneza, stymulacja.

#### **Discussion**

Osteoporosis is not just a phenomenon of bone demineralization and related problems, such as increased bone fragility or problems with bone knitting. Osteoporosis is also a problem of reduction of the internal surface of spongy bone. It was calculated that the total bone surface area - the surface of all trabeculae in all bones - can be anywhere between 380 and 420,000 m<sup>2</sup> in an adult (1, 2, 3, 4, 5). On such surface area, bone marrow and other bone

components come into contact with trabeculae, including microcrystals of carbonate hydroxyapatite - a mineral bone component.

On this surface area, the chemico-physical balance is maintained between the marrow, blood vessels and others bone components, and phosphate and trabeculae collagen. Obviously, that balance changes with the loss of trabeculae and minerals in the osteoporosis process. The changes are the greater the more developed osteoporosis.

Another important problem is the transfer of elements from bones to soft tissues (18). In the process of osteoporosis, not all elements released from bones are excreted outside the body. Some of them flow with blood and other body fluids and may settle in various places in tissues and organs. This leads first to so-called hidden mineralization, and later, as a result of further crystallization, to overt mineralization (calcifications). Hidden mineralization can be observed only in the results of chemical analyzes; it consists of substituting elements (mainly Ca and P) in biological structures in so-called crystallization centers (22, 23, 24).

The harmfulness of such mineralization (of arteries, heart valves, joint cartilage, etc.), not to mention its potential carcinogenic effect, does not require detailed discussion (6-21).

Therefore, stopping the progress of osteoporosis, its prevention, and, above all, elimination of osteoporosis entirely, is one of the most important medical problems, or even one of the biggest challenges for humanity.

Different methods of fighting osteoporosis are widely known, including using high calcium medication and others substances. However, reconstruction of spongy bone trabeculae affected by osteoporosis can not be done by administering calcium and phosphorus. These elements, delivered to a usually older organism (e.g. in the form of tablets), do not necessarily go to the bone. If they encounter crystallization centers in other places than bones - arteries, cartilage, etc. - they eagerly join biological structures there (24), promoting the formation of mineralization (calcifications). Considering the fact that osteoporosis, and especially elements derived from bones in osteoporosis, can mineralize tissues (18), additional doses of calcium and phosphorus introduced for the "treatment" of osteoporosis accelerate the formation of calcifications outside the bones, which can lead to many "accelerated" health problems.

For the reconstruction of trabeculae we need collagen, with programmed crystallization centers where hydroxyapatite will crystallize again. It crystallizes in the bones from alkaline phosphatase produced by osteoblast mitochondria. This means that we should also "mobilize" osteoblasts to re-synthesize alkaline phosphatase.

When collagen is synthesized with crystallization centers (in the appropriate places of its structure) and alkaline phosphatase is present, the trabeculae will be reconstructed. The result will be strengthening of the spongy bone structure at sites affected by osteoporosis.

How can we start this mechanism? In certain circumstances, it starts on its own. This happens in bone fractures, when the "osteosynthesis" process that occurs in the body from the moment of bone formation to their full mineralization is "repeated" in a natural way.

So what is the factor that creates osteogenesis in bone knitting? Can this mechanism be used to strengthen bones affected by osteoporosis?

Prowadzone badania i obserwacje procesu zrostu kostnego sugerują, że tak (6) - ten mechanizm można uruchomić. Dopracowanie metody i wejście w fazę jej aplikacji wymaga szeregu dalszych eksperymentów i dodatkowych czasochłonnych i kosztownych badań.

Conducted research and observations of the bone knitting process suggest that yes, this mechanism can be started (6). Fine-tuning the method and reaching the phase of its application requires a series of further experiments and additional time-consuming, costly tests.

## Literature

1. Niedźwiedzki T, Pawlikowski M. Zmiany mineralogiczne zachodzące w obszarze gojenia złamań kości długich. (Mineralogical phenomena observed at healing part of broken bones). Chirurgia Narz. Ruchu i Ortop. Pol. (1990), T. LV: 277-281.
2. Niedźwiedzki T, Dąbrowski Z, Miszta H, Pawlikowski M. Bone healing after bone marrow stromal cell transplantation to the bone defect. Biomaterials 14 (1993b): 115-121.
3. Pawlikowski M., Mineralizacja organizmu człowieka żywiącego. (Mineralization of human living organism). Prace Mineral. (1987) 79: 121.
4. Pawlikowski M, Ryskala Z., Charakterystyka mineralogiczno-chemiczna fosforanowej mineralizacji wybranych naczyń tętniczych człowieka. (Mineralogical - chemical characteristic of phosphate mineralization of human arteries). Roczniki Nauk.- Dyd. WSP w Krakowie Prace Fizjologiczne (1991a): 81-104.
5. Pawlikowski M., Mineralizacja nowotworowa (Mineralization of cancer). W: Biomineralizacja i biomateriały. PWN, Warszawa (1991c),: 84-92.
6. Pawlikowski M. Kryształy w organizmie człowieka. (Crystals of human organism). Secesja. (Atlas) (1993a):132.
7. Pawlikowski M., Sekrety mineralizacji tkanek (Secrets of tissue mineralization). PAN, Kraków (1995a) :97 p.

8. Pawlikowski M. Preliminary results of dissolution of substances mineralizing human arteries. *Arch. Mineralog* (1999) 52: 195-210.
9. Pawlikowski M, Pfitzner R. Zastosowanie metod mineralogicznych w badaniach tkanek człowieka. I. Sposoby badania mineralizacji. (Mineralogical methods useful for examination of human tissues). *Przegl. Lekarski* (1995b) 52: 119-123.
10. Pawlikowski M, Pfitzner R. Zastosowanie metod mineralogicznych w badaniach tkanek człowieka. II. Mineralizacja struktur serca. (Mineralogical methods useful for examination of human tissues. Mineralization of heart structures). *Przegl Lekarski* (1995c) 52: 24-27.
11. Pawlikowski M, Pfitzner K., Skinner C. Cholesterol-mineral concentrations of the aneurysmatic wall. *Acta Angiologica* (1995d) Supl. 1: 15.
12. Pawlikowski M., Pfitzner R. Mineralizacja serca i dużych naczyń. (Mineralization of heart and big blood vessels). Wyd. IGSMiE PAN Kraków (1999): 142 p.
13. Pawlikowski M., Niedźwiedzki T., Mineralogia kości. (Mineralogy of bones). Wyd. PAN Oddział w Krakowie (2002): 128
14. Pawlikowski M., Minerals in human blood vessels and their dissolution in vitro. In: Skinner HCW, Berger AW, Geology and health. N.Y. – Oxford. Oxford University Press (2003b) pp.155-158.
15. Pawlikowski M. Biominerization of cancer tissues. 20th Int. Symp. Molecular and Physiological Aspects of Regulatory Processes of the Organism. Cracow. Ed. H. Lach. Wyd. Abaton. Kraków (2011):190-191.
16. Pawlikowski M, Kwinta A, Zwolinska B, Kwinta K., Green fiber lasers in urology. *Folia Med. Cracov* (2013), 53(2): 23-34.
17. Pawlikowski M., Mineralizacja guzów nowotworowych płuc. (Mineralization of lung cancer tumors. Auxiliary sciences in archaeology, preservation of relicts and environmental engineering (2013a) CD -no 15, Ed. M. Pawlikowski.
18. Pawlikowski M. Osteoporosis as a source of tissue mineralization. Research on osteoporosis therapy and dissolution of arterial mineralization. *Jour Life Science* 8 (2014b): 610-625.
19. Pawlikowski M. Biomineralogy of osteoporosis. *Academia Journal of Biotechnology* 4 (2016): 138-144
20. Pawlikowski M., Biomineralogical investigation of apatite piezoelectricity. *Traumatologia i ortopedia Rosji* (2016c) – 2 (80): 58-63.
21. Pawlikowski M., Electric phenomenon in bones as a result of piezoelectricity of hydroxyapatite (2016) *Arch. Clin. Biomed. Res.* 2017; 1 (3): 132-139
22. Pawlikowski M., Biomineralogy of angiogenesis. *Arch. Clin. Biomed. Res.* (2017a); 1 (4): 161-167

- 23.Pawlikowski M., Miler M., Biomineralogy of selected skin cancer. SM Dermatolog J. (2017b); 3(3): 1017
- 24.Pawlikowski M., Centers of Human Tissue Biomineralization (Calcification). Cardiol. Cardiovascmed (2017c) ; 1 (6): 252-2